

AFLNet Five Years Later: On Coverage-Guided Protocol Fuzzing

Ruijie Meng¹, Van-Thuan Pham², Marcel Böhme³, and Abhik Roychoudhury⁴, *Senior Member, IEEE*

Abstract—Protocol implementations are stateful which makes them difficult to test: Sending the same test input message twice might yield a different response every time. Our proposal to consider a sequence of messages as a seed for coverage-directed greybox fuzzing, to associate each message with the corresponding protocol state, and to maximize the coverage of both the state space and the code was first published in 2020 in a short tool demonstration paper. AFLNet was the first code- and state-coverage-guided protocol fuzzer; it used the response code as an indicator of the current protocol state. Over the past five years, the tool paper has gathered hundreds of citations, the code repository was forked almost 200 times and has seen over thirty pull requests from practitioners and researchers, and our initial proposal has been improved upon in many significant ways. In this paper, we first provide an extended discussion and a full empirical evaluation of the technical contributions of AFLNet and then reflect on the impact that our approach and our tool had in the past five years, on both the research and the practice of protocol fuzzing.

Index Terms—Greybox fuzzing, network protocol testing, stateful fuzzing.

I. INTRODUCTION

IT is critical to find security flaws in protocol implementations. Protocols are used by internet-facing servers to talk to each other or to clients in an effective and reliable manner. A *protocol* specifies the exact sequence and structure of messages that can be exchanged between two or more online parties. However, this ability to talk to a server from anywhere in the world provides ample opportunities for remote code execution attacks. An attacker does not even require physical access to the machine. For instance, the famous Heartbleed vulnerability is a

security flaw in OpenSSL, an implementation of the SSL/TLS protocol which promises secure communication.¹

However, finding vulnerabilities in protocol implementations is also difficult. First, a server is stateful and message-driven. It takes a sequence of messages (a.k.a. requests) from a client, processes the messages, and sends appropriate responses. Yet, the *implemented* protocol may not entirely correspond to the *specified* protocol, making model-based fuzzing approaches [1], [2] less effective. For instance, as shown in Fig. 2, the Live555 streaming media server implements a state machine for the Real-Time Streaming Protocol (RTSP) that unintentionally introduces an unspecified transition between the INIT and PLAY states (shown in red). Second, the server's response depends on both the current message and its internal state, which is influenced by earlier messages, posing challenges for vanilla coverage-guided greybox fuzzers like American Fuzzy Lop (AFL) and its extensions [3], [4].

Before the extension to state-coverage, greybox fuzzers were primarily designed to test stateless programs (e.g., command line programs or libraries) where the same input would mostly produce the same output. If a generated input covered source code that was not previously covered, it was added to the set of input seeds for later fuzzing. If there was any program state, it would not be considered. Indeed, users of AFL were aware of these limitations and submitted several requests and questions for stateful fuzzing support to its developers' group [5], as shown in Fig. 1.

In 2020, motivated by the aforementioned challenges of stateful network protocol fuzzing and the pressing need for an effective tool by researchers and practitioners, we introduced AFLNET [6]—the first code- and state-coverage-guided greybox fuzzer. However, an extended technical discussion and a full empirical evaluation of all its components in a full-length article have since been outstanding.

AFLNET integrates automated state model inference with coverage-guided fuzzing, allowing both to work in tandem: fuzzing generates new message sequences to cover new states and incrementally complete the state model. Meanwhile, the dynamically constructed state model helps drive fuzzing towards more critical code regions by leveraging both state coverage and code coverage information from the retained message sequences. With these advanced features, AFLNET successfully generated a random message sequence that discovered the hidden transition in the RTSP implementation of Live555 (see

Received 21 November 2024; revised 17 January 2025; accepted 22 January 2025. Date of publication 30 January 2025; date of current version 18 April 2025. This work was supported in part by the National Research Foundation, Singapore, in part by the Cyber Security Agency of Singapore under its National Cybersecurity R&D Programme under Grant Fuzz Testing NRF-NCR25-Fuzz-0001, in part by the European Union, and in part by the ERC grant under Project AT SCALE, 101179366. Recommended for acceptance by G. Fraser. (Corresponding author: Ruijie Meng.)

Ruijie Meng and Abhik Roychoudhury are with the National University of Singapore, Singapore 117417 (e-mail: ruijie_meng@u.nus.edu; abhik@comp.nus.edu.sg).

Van-Thuan Pham is with the University of Melbourne, Melbourne, VIC 3053, Australia (e-mail: thuan.pham@unimelb.edu.au).

Marcel Böhme is with the Max Planck Institute for Security and Privacy, 44799 Bochum, Germany (e-mail: marcel.boehme@acm.org).

Digital Object Identifier 10.1109/TSE.2025.3535925

¹See <http://heartbleed.com/>

"One of the things that I struggle with is the limitation AFL seems to have, in that it only performs fuzzing with one input (a file). For many systems, such as network protocols, it would be useful if fuzzing could be done on a sequence of inputs. This sequence of inputs might be for example messages necessary to complete a handshake in TLS/TCP."

- Paul (a member of the AFL's user group) [5]

"I'm interested in doing something fairly non-traditional and definitely not currently supported by AFL. I would like to perform fuzzing of a large and complex external server that cannot easily be stripped down into small test cases."

- Tim Newsham (a member of the AFL's user group) [5]

Fig. 1. Requests from AFL's users asking for stateful fuzzing support.




Fig. 2. RTSP as implemented in Live555. There exists an unspecified shortcut between the INIT and PLAY state (shown in red).

Fig. 2), retained the sequence, and systematically evolved it to uncover a critical zero-day vulnerability (CVE-2019-7314, CVSS score: 9.8). In March 2020, we released AFLNET as an open-source tool on GitHub: <https://github.com/aflnet/aflnet>.

Over the past five years, our tool has received tremendous attention from both the research community and industry. As of November 2024, it has garnered 872 stars on GitHub. It supports 17 protocols², most of which were contributed by other researchers. *Security researchers* have written experience reports and tutorials about the application of AFLNET to challenging targets such as the 5G network [7], Internet of Things (IoT) [8], [9], medical imaging applications [10], and automotive systems [11] highlighting its impact on practice. *Researchers* have cited the short AFLNET tool demo paper hundreds of times (270+ according to Google Scholar), highlighting its impact on research. *Educators* are introducing AFLNET as a coverage-guided protocol fuzzer to hundreds of Master's students at several universities, including the University of Melbourne and Carnegie Mellon University, highlighting its impact on education.

²List of protocols supported by AFLNET: RTSP, FTP, MQTT, DTLS, DNS, DICOM, SMTP, SSH, TLS, SIP, HTTP, IPP, TFTP, DHCP, SNTP, NTP, and SNMP.

In this paper, we first provide an extended discussion and a full empirical evaluation of the technical contributions of AFLNET. We evaluate AFLNET in large-scale experiments on the widely-used ProFuzzBench benchmark [12] to provide researchers and practitioners with a deeper understanding of the capabilities of AFLNET and the effectiveness of each of its components. Specifically, we thoroughly analyze the effectiveness of state feedback both independently and in combination with traditional code coverage feedback. Additionally, we evaluate the impact of different seed-selection strategies implemented in AFLNET. Based on these results, we offer practical guidance to AFLNET users on its optimal use cases and the most effective configurations to maximize their results.

Finally, we reflect on the impact that our approach and our tool had in the past five years, on both the research and the practice of protocol fuzzing. This reflection not only illustrates AFLNET's growing impact but also identifies open challenges and opportunities, shedding light on recent progress and promising new directions for future research in stateful network protocol fuzzing.

II. BACKGROUND AND MOTIVATION

A. Motivating Example: File Transfer Protocol (FTP)

We begin with an informal introduction of the main concepts behind server communication and the terminology we are using in this paper. A *server* is a software system that can be accessed remotely, e.g., via the Internet. A *client* is a software system that uses the services which are provided by a server. In order for the client to use the services of a server, the client must first establish a connection via a communication channel. A *network socket* is an endpoint for sending or receiving data and can be identified by an IP address and a port.

In order to exchange information, both network participants send messages. A *message* is a distinct data packet. A *message sequence* is a vector of messages. A valid order of messages is governed by a protocol. The *protocol* provides strict rules and regulations that determine how data is transmitted and ensures reliable communication between client and server. A message from the client is also called *request* while a message from the server is called *response*³. Each request may advance the server state, e.g., from initial state to authenticated. The *server state* is a specific status of the server in the communication with the client.

Listing 1 shows an exchange of messages according to the File Transfer Protocol (FTP) between a client and LightFTP [19], a server that implements FTP and is one of the subjects in our evaluation. The message sequence sent from the client is highlighted in red. FTP is the standard protocol for transferring files (RFC959 [20]). FTP specifies that a client must first authenticate itself at the server. Only after successful authentication can the client issue other commands (i.e., transfer parameter commands and service commands). For each request message from the client, the FTP server replies with a response

³In some protocols, e.g., mutual authentication in TLS, when the client is authenticating its identity to the server, the request comes from the server.

Listing 1. Message exchange between an FTP client (red) and the LightFTP server (black) on the control channel.

```

1  220 LightFTP server v2.0a ready
2  USER foo
3  331 User foo OK. Password required
4  PASS foo
5  230 User logged in, proceed.
6  MKD demo
7  257 Directory created.
8  CWD demo
9  250 Requested file action okay, completed.
10 STOR test.txt
11 150 File status okay
12 226 Transfer complete
13 LIST
14 150 File status okay
15 226 Transfer complete
16 QUIT
17 221 Goodbye!

```

message containing a status code (e.g., 230 [login successful] or 430 [invalid user/pass]). The status code in the response ensures that client requests are acknowledged and informs the client about the current server state.

Finding vulnerabilities in protocol implementations is challenging. First, a server is stateful and message-driven. It takes a sequence of messages (e.g., messages shown in Listing 1 in red) from a client, handles the messages, and sends appropriate responses. In addition, a server features a massive state space that can be traversed effectively only with specific sequences of messages. For example, only after accepting the correct user name and password (i.e., `USER foo` and `PASS foo`), LightFTP can transition to the state where it can process the `MKD demo` command. Second, a server's response depends on both, the current message and the current internal server state which is controlled by a sequence of earlier messages.

B. Difficulties of Traditional Fuzzing Approaches

To find vulnerabilities in stateful protocols, there are several challenges for state-of-the-art fuzzing approaches, like coverage-based greybox fuzzing (CGF) [13], [15] and stateful blackbox fuzzing (SBF) [1], [17]. The details of each approach and their corresponding limitations are listed in Table I. CGF is an effective automated vulnerability detection technique. It leverages code coverage information, obtained by lightweight code instrumentation, to retain and prioritize interesting seeds (e.g., input files) generated by mutation operators (e.g., bit flips and splicing) in an evolutionary fashion. However, vanilla CGF, like AFL and its extensions [14], [4], [3], neither know the server state information nor the required structure or order of the messages to be sent. These CGF were mainly designed to test stateless programs (e.g., file processing programs) which always produce the same output for the same input. No state is maintained or taken into account.

Developers only have workaround solutions to fuzz protocol implementations using current CGF approaches. They would need to write test harnesses for unit testing of specific program states of the server under test (SUT) [15] or to concatenate message sequences into files and use them as seeds to do

normal mutational file fuzzing [13]. These two approaches have several drawbacks. While unit testing is effective at some specific program states, it may not be able to thoroughly test the interactions/transitions between several program states. Moreover, it usually requires a substantial effort to write a new test harness to maintain correct program states and avoid false positives. Importantly, it is not applicable for end-to-end fuzzing to test the whole server whose source code may not be available.

Working on concatenated files leads to inefficiency and ineffectiveness in bug finding. First, for each fuzzing iteration, the whole selected seed file needs to be mutated. Given a file f which is constructed by concatenating a sequence of messages from m_1 to m_n , CGF mutates the whole file f and treats all messages equally. Suppose a message m_i is the most interesting one (e.g., exploring it leads to higher code coverage and potential bugs), CGF repeats mutating uninteresting messages m_1 to m_{i-1} before working on m_i and it has no knowledge to focus on m_i . Second, lacking state transition information, CGF could produce many invalid sequences of messages which are likely to be rejected by the SUT.

Due to the aforementioned limitations of CGF on stateful server fuzzing, the most popular technique is still stateful blackbox fuzzing (SBF). Several SBF tools have been developed in both academia (e.g., Sulley, BooFuzz [18], [17]), and in the industry (e.g., Peach, beSTORM [1], [16]). These tools traverse a given protocol model, in the form of a finite state machine or a graph, and leverage data models/grammars of messages accepted at the states to generate (syntactically valid) message sequences and stress test the SUT. However, their effectiveness heavily depends on the completeness of the given state model and data model, which are normally written manually based on the developers' understanding of the protocol specification and the sample captured network traffic between the client and the server. These manually provided models may not capture correctly the protocols implemented inside the SUT. Protocol specifications contain hundreds of pages of prose-form text. Developers of implementations may misinterpret existing or add new states or transitions. Moreover, like other blackbox approaches, SBF does not retain interesting test cases for further fuzzing. More specifically, even though SBF could produce test cases leading to new interesting states, which have not been defined in its state model, SBF does not retain those for further explorations. It also does not update the state model at run-time.

To address the aforementioned limitations of current CGF and SBF approaches, we introduce AFLNET—the first stateful CGF (SCGF) tool. AFLNET is an evolutionary mutation-based fuzzer that leverages code as well as state feedback to efficiently and systematically explore the code and state space of a protocol implementation. In our setting, AFLNET acts as a client while the protocol server acts as the fuzz target. AFLNET makes automated state model inferencing and coverage-guided fuzzing work hand in hand; fuzzing helps to generate new message sequences to cover new states and make the state model gradually more complete. Meanwhile, the dynamically constructed state model helps to drive the fuzzing towards more important code parts by using both the state coverage and code coverage information of the retained message sequences.

TABLE I
LIMITATIONS OF TRADITIONAL FUZZING APPROACHES IN FINDING VULNERABILITIES IN STATEFUL PROTOCOLS

Approach	Description	Representative Tools	Limitations
Coverage-guided greybox fuzzing (CGF)	Leverage code coverage information to retain and prioritize interesting seeds generated by mutation operators	AFL [13] and its extensions [14], [4], [3]	Neither know the server state information nor the required message structure or order to be sent
Workaround solutions of coverage-guided greybox fuzzing	(1) Write test harness for unit testing of specific program states of the server under test (SUT); (2) Concatenate message structures into files and use them as seeds to do normal mutational file fuzzing	For (1), libFuzzer [15]; For (2), AFL [13]	For (1), cannot thoroughly test the interactions / transitions between several program states; requires substantial manual effort to write a correct test harness; and cannot test the whole server whose source code is not available; For (2), inefficiency and ineffectiveness in bug finding due to no knowledge of which message to focus on and no state transition information
Stateful blackbox fuzzing (SBF)	Traverse the given protocol model and leverage data models/grammars of messages to generate message sequences from scratch	beSTORM [16], BooFuzz [17], Peach [1] and Sulley [18]	Writing state models and data models involves much manual effort and expertise, which are also often error-prone; and learn nothing from past fuzzing execution

III. THE AFLNET APPROACH

AFLNET is a network-enabled stateful greybox fuzzer that leverages additional state feedback from the server along with the code feedback to boost the coverage of a protocol implementation. Algorithm 1 provides a procedural overview. The *input* is the server program under test \mathcal{P} , an initial (potentially empty) draft of the implemented protocol state machine (IPSM) S , and the actual, recorded network traffic T between a client and \mathcal{P} . The *output* is a set of error-revealing message sequences C_{\times} and the IPSM S that has been augmented throughout the fuzzing campaign.

AFLNET starts with a pre-processing phase (Lines 1–6). Given the server \mathcal{P} , the initial IPSM S , and the recorded network traffic T , AFLNET constructs the initial seed corpus C and adds state transitions observed in T to S . In order to construct C , each trace $t \in T$ of recorded network traffic is parsed into the corresponding message sequence M , which is then added to C and sent to the server \mathcal{P} . The details of the recording and replay of message sequences (incl. the *parse* and *send* methods) are discussed in Section III-A. From each server response R , the exercised state transitions are extracted. States and transitions that have been observed are added to the IPSM S if they do not already exist. If no IPSM is given as input, S is initialized as a directed graph without nodes and edges. Our lightweight protocol learning (incl. the *updateIPSM* method) is elaborated in Section III-B.

In each iteration (Lines 8–26), AFLNET generates several new sequences based on the selected seed sequence. During seed selection, AFLNET interleaves AFL’s original strategy, which relies on the order of the seed queue (Lines 14–15), with a strategy based on the state heuristics in the IPSM S (Lines 10–12). Specifically, AFLNET starts lightweight seed selection based on the seed queue, and switches to the heavy state-heuristic-based strategy when the fuzzer cannot find

Algorithm 1: Stateful Network Protocol Fuzzing

```

Input : Server program  $\mathcal{P}$ , Sniffer traces  $T$ , IPSM  $S$ 
Output: Crashes  $C_{\times}$ , Corpus  $C$ , and IPSM  $S$ 
1 Corpus  $C \leftarrow \emptyset$ ; Crashes  $C_{\times} \leftarrow \emptyset$ ; Bitmap  $B \leftarrow \emptyset$ 
2 for each trace  $t \in T$  do ▷ Pre-processing Phase
3   Sequence  $M \leftarrow \text{parse}(t)$ 
4   Corpus  $C \leftarrow C \cup \{M\}$ 
5   Response  $R \leftarrow \text{send}(\mathcal{P}, M, B)$ 
6   IPSM  $S \leftarrow \text{updateIPSM}(S, R)$ 
7 LastPathTime  $\text{lpt} \leftarrow \text{cur\_time}$ 
8 repeat ▷ Fuzzing Phase
9   if  $(\text{cur\_time} - \text{lpt}) > \text{MaxTimeGap}$  then
10    State  $s \leftarrow \text{choose\_state}(S)$ 
11    Sequence  $M \leftarrow \text{choose\_sequence\_to\_state}(C, s)$ 
12     $\langle M_1, M_2, M_3 \rangle \leftarrow M$ 
    (i.e., split  $M$  in subsequences such
    that  $M_1$  is the message sequence to
    drive  $\mathcal{P}$  to arrive at state  $s$ , and mes-
    sage sequence  $M_2$  is selected to be
    mutated)
13  else ▷ Interleaving Seed Selection
14    Sequence  $M \leftarrow \text{choose\_sequence\_from\_queue}(C)$ 
15     $\langle M_1, M_2, M_3 \rangle \leftarrow M$ 
    (i.e., randomly select subsequence
     $M_2$  to be mutated)
16  for  $i$  from 1 to  $\text{energy}(M)$  do
17    Sequence  $M' \leftarrow \langle M_1, \text{mutate}(M_2), M_3 \rangle$ 
18    Response  $R \leftarrow \text{send}(\mathcal{P}, M', B)$ 
19    if  $\mathcal{P}$  has crashed then
20      Crashes  $C_{\times} \leftarrow C_{\times} \cup \{M'\}$ 
21      LastPathTime  $\text{lpt} \leftarrow \text{cur\_time}$ 
22    else if  $\text{is\_interesting}(M', B)$  then
23      Corpus  $C \leftarrow C \cup \{M'\}$ 
24      IPSM  $S \leftarrow \text{updateIPSM}(S, R)$ 
25      LastPathTime  $\text{lpt} \leftarrow \text{cur\_time}$ 
26 until timeout reached or abort

```





Fig. 3. An annotated FTP message sequence processed for mutational fuzzing (from the sniffer trace in Listing 1).

“interesting” sequences within the allowed time gap. The former strategy is the same as that used in AFL. In the latter seed-selection strategy, AFLNET selects a progressive state $s \in S$ and a sequence $M \in C$ exercising s to steer the fuzzer towards more progressive regions in the server state space (Section III-C; incl. *choose_state* and *choose_sequence_to_state*).

The selected sequence is assigned an amount of energy based on the default power schedule of the greybox fuzzer [14] and systematically mutated (Section III-D; incl. *mutate* and *is_interesting*). Crash-triggering sequences are added to the crashing corpus C_x , “interesting” sequences are added to the normal corpus C , and all other generated sequences are discarded (Line 19–25). A sequence M is considered as *interesting* if the new state(s) or state transition(s) have been observed in the server response R for M , or if M covers new branches in the server’s source code.

A. Recording and Replay for Fuzzing

In order to facilitate mutational fuzzing for message sequences, we first need to develop the capability to record and replay message sequences. In order to *record* a realistic message exchange between the client and the server, a network sniffer can be used. A *network sniffer* captures network traffic for a specified period of time. For instance, we can use `tcpdump`⁴ to capture the traffic from a user-generated FTP session. The sniffer records the entire network traffic that can be filtered automatically. The relevant message exchange can be extracted using a packet analyzer. A *packet analyzer* can identify and distinguish different message exchanges between different nodes in the network. For instance, we used the packet analyzer Wireshark⁵ to automatically extract the sequence of FTP requests.

To generate the initial corpus of message sequences C , AFLNET parses the filtered sniffer traces T (i.e., *parse* in Algorithm 1). The objective of the parser is to identify the start and end of a message in the filtered trace. This can be done with a packet analyzer such as Wireshark. In our case, we implemented a lightweight method that finds the header and terminator of a message as specified in the given protocol. For instance, each FTP message starts with a valid FTP command (e.g., USER, PASS) and is terminated with a carriage return followed by a line feed character (i.e., `0x0D0A`). Moreover, AFLNET associates with each message in the sequence the corresponding server state transitions (cf. Fig. 3). This is done by sending the messages and parsing the responses one by one.

To *replay* a message sequence (i.e., *send* in Algorithm 1), AFLNET acts as a client. In our setting, the server provides network sockets and the fuzzer can connect to those. After the

server is started and the connection is established, AFLNET can proceed to replay message sequences. For each request m in the sequence, (i) the request m is sent to the server, (ii) a delay is introduced, and (iii) the response is received. The delay is required because many servers (incl. the LightFTP server) stop the message exchange if a new request arrives before the server’s response has been received. When the entire sequence is executed, the connection is closed, and the server is terminated. We suggest terminating the server (or at least the ongoing session) because this will reset any accumulated state. The next message sequence can start from the same initial state.

B. Lightweight Protocol Learning

We refer to the directed labelled graph which reconciles all state transitions that have been observed throughout the fuzzing campaign as the *implemented protocol state machine* (IPSM). Each node represents a *state*. Each directed edge represents a *state transition*. The edge is annotated with a request and response message. If there is an edge between two states s_1 and s_2 , and the server is currently in state s_1 and receives a request that matches the one in the edge label, then the server sends a response that matches the one in the edge label and transitions to state s_2 . An example illustrating the utility of the IPSM is shown in Fig. 2.

The IPSM represents the current and potentially incomplete view of the protocol state machine that has actually been implemented. The purpose of the fuzzer is to generate message sequences that discover *new* state transitions. This in turn iteratively increases the completeness of the IPSM w.r.t. actual state machine.

After sending a request sequence $M \in C$, the network-enabled fuzzer receives a response sequence R . From R , AFLNET extracts the sequence of state transitions. We assume *determinism*, i.e., executing M several times always produces the same sequence of state transitions. Each state should be uniquely identifiable. For many protocols, the response contains information about the current server state. For instance, we can use the FTP status code in the server response to quickly identify the server state (e.g., 230 [login successful]). If no (detailed) state information is normally available in R , we suggest to instrument the program such that the server function that handles a certain state also prints the associated state ID. Such instrumentation is sensible when fuzzing in-house or open-source protocol implementations.

In order to augment the IPSM S (cf. *updateIPSM* in Algorithm 1), the nodes and edges are added for states and state transitions that have not been observed previously (i.e., before sending $m \in M$). For each existing or new state $s \in S$, AFLNET records the number of times a mutated message sequence has executed s (`#fuzz`), the number of times s has been selected for fuzzing (`#selected`), and the number of coverage-increasing message sequences that have been added to C after selecting s for fuzzing (`#paths`). This statistical information is used for steering the fuzzer towards more progressive regions of the state space. In turn, the boosted fuzzer should enable a more efficient augmentation of the IPSM.

⁴<https://www.tcpdump.org/pcap.html>

⁵<https://www.wireshark.org/>

C. Steering the Fuzzer to Progressive States

In order to steer the fuzzer towards more progressive regions in the state space, AFLNET chooses message sequences $M \in C$ to mutate that exercise one of the more progressive states and that is more likely to increase coverage (Lines 10–12 in Algorithm 1).

Choosing a state. In each iteration, AFLNET selects a server state $s \in S$ in the IPSM S to focus on (cf. *choose_state* in Algorithm 1). AFLNET uses several heuristics that can be computed from the statistical data available in the learned IPSM. To identify fuzzer blind spots, i.e., rarely exercised states, AFLNET chooses a state s with a probability that is inversely proportional to the proportion of mutated message sequences that have executed s ($\#fuzz$). AFLNET chooses *recently discovered states* s with higher priority by prioritizing states that have been rarely chosen for fuzzing ($\#selected$). In order to maximize the probability of discovering new state transitions, AFLNET chooses a state s with higher priority that has been particularly successful in contributing to an increased code or state coverage when they were previously selected ($\#paths$).

Choosing a message sequence. In each iteration, given the selected state $s \in S$, AFLNET selects a message sequence $M \in C$ from the corpus C that exercises s (cf. *choose_sequence_to_state* in Algorithm 1). We leverage the original selection strategy that is provided by the greybox fuzzer but on the *reduced* corpus of sequences that exercise the selected state s . For instance, classically AFL prioritizes shorter seeds in the corpus that execute quicker. Our modified strategy first filters only sequences that execute s . Shorter and quicker sequences that have reached more states are prioritized.

Assigning energy. In greybox fuzzing, the *energy* of a seed input determines how many new inputs are generated from the given seed input the next time it is chosen (cf. *energy* in Algorithm 1). For instance, the AFL coverage-based greybox fuzzer [13] assigns more energy to a seed that executes faster and that is shorter. AFLNET leverages the default power schedule of the greybox fuzzer. A *power schedule* is the mechanism that assigns the energy of a seed.

D. Mutating a Message Sequence

AFLNET is *mutation-based fuzzer*, i.e., a seed message sequence is chosen from a corpus and mutated to generate new sequences. There are several advantages over existing *generation-based approaches* which generate new message sequences from scratch. First, a mutation-based approach can leverage a valid trace of real network traffic to generate new sequences that are likely valid—albeit entirely without a protocol specification. In contrast, a generation-based approach [18], [2], [17] requires a detailed protocol specification, including concrete message templates and the protocol state machine. Hence, BOOFUZZ [17], a generation-based approach, does not discover the unspecified state transition in Fig. 2 in page 2. Second, a mutation-based approach allows the fuzzer to evolve a corpus of particularly interesting message sequences. Generated sequences that have led to the discovery of new states, state transitions, or program branches are added to the corpus for further fuzzing.

This evolutionary approach is the secret sauce of the tremendous recent success of coverage-based greybox fuzzing.

Given a state s and a message sequence M , AFLNET generates a new sequence M' by mutation (cf. Line 17 in Algorithm 1). In order to ensure that the mutated sequence M' still exercises the chosen state s , AFLNET splits the original sequence M into three parts:

- The *prefix* M_1 is required to reach the selected state s . The prefix is identified using the state annotations (cf. Fig. 3). If $M = \langle m_1, \dots, m_n \rangle$, then $M_1 = \langle m_1, \dots, m_i \rangle$ such that s is observed for the first time when message m_i is sent, i.e. $s \notin \text{states}(\text{send}(\mathcal{P}, \langle m_1, \dots, m_{i-1} \rangle)) \wedge s \in \text{states}(\text{send}(\mathcal{P}, M_1))$.
- The *candidate subsequence* M_2 contains all messages that can be executed after M_1 while still *remaining* in state s . In other words, M_2 is the longest subsequence $\langle M_1, M_2 \rangle \subseteq M$, such that $\text{states}(\text{send}(\mathcal{P}, M_1)) = \text{states}(\text{send}(\mathcal{P}, \langle M_1, M_2 \rangle))$.
- The *suffix* M_3 is simply the left-over subsequence such that $\langle M_1, M_2, M_3 \rangle = M$.

The mutated message sequence $M' = \langle M_1, \text{mutate}(M_2), M_3 \rangle$. By maintaining the original subsequence M_1 , M' will still reach the state s which is the state that the fuzzer is currently focusing on. The mutated candidate subsequence $\text{mutate}(M_2)$ produces an alternative sequence of messages *upon* the progressive state s . In our initial experiments, we observed that the alternative requests may not be observable “now”, but propagate to later responses. Hence, AFLNET continues with the execution of the original suffix M_3 .

AFLNET offers several *protocol-aware mutation operators* to modify the candidate subsequence (cf. *mutate* in Algorithm 1). From the corpus C of message sequences, AFLNET produces a pool of messages. The *message pool* is a collection of actual messages from network sniffer traces (plus generated messages) that can be added or substituted into existing message sequences $M \in C$. In order to mutate the candidate sequence M_2 , AFLNET supports the replacement, insertion, duplication, and deletion of messages. In addition to these protocol-aware mutation operators, AFLNET uses the common byte-level operators that are known from greybox fuzzing, such as bit flipping, and the substitution, insertion, or deletion of blocks of bytes. The mutations are *stacked*, i.e., several protocol-aware and byte-level mutation operators are applied to generate the mutated candidate sequence. The mutations affect the start and end indices of the mutated and any subsequent message in the sequence. Hence, the index annotations are updated accordingly.

E. Selecting Interesting Message Sequences

After applying protocol-aware mutations on the selected message sequence M , AFLNET generates a new message sequence M' and sends it to the server under test to investigate whether M' is “interesting” (Line 18 in Algorithm 1). A sequence is considered as *interesting* if the server response contains new states or state transitions that have not previously been observed (i.e., they are not recorded in the IPSM S); a




Fig. 4. Architecture and Implementation of Stateful Greybox Fuzzing in AFLNET.

sequence is interesting also if it covers new branches in the server's source code.

To select “interesting” message sequences, AFLNET records both state coverage and branch coverage in the same bitmap B during program execution. In contrast, AFL only records the branch coverage in the bitmap. While hitting a branch $B_1 \rightarrow B_2$, AFL computes the map index using Equation 1 (where $prev_loc$ and cur_loc are branch keys of the basic block of B_1 and B_2) and increments the corresponding value for this index by 1. However, based on our observation, this bitmap often has many empty entries in the default bitmap size (MAP_SIZE), which provides the chance to maintain additional state coverage within the same bitmap as well.

$$map_index = cur_loc \oplus (prev_loc \gg 1) \quad (1)$$

To achieve this, AFLNET shifts the code coverage to the left of the bitmap by a certain number of elements SHIFT_SIZE, where SHIFT_SIZE is the number of the bitmap entries reserved to store state coverage information). The map index for code branches is then computed using Equation 2.

$$map_index = (cur_loc \oplus (prev_loc \gg 1)) \% (MAP_SIZE - SHIFT_SIZE) + SHIFT_SIZE \quad (2)$$

Following this adjustment, AFLNET reserves the bitmap space with SHIFT_SIZE many elements to state coverage. While observing a state transition $S_1 \rightarrow S_2$, AFLNET computes the map index for this state transition using Equation 3, where $prev_state$ and cur_state are state keys by numbering raw states S_1 and S_2 starting from the number 1, and STATE_SIZE is the maximum number of states expected to be observed at the end of fuzzing campaign. The value of the corresponding index is then incremented by 1.

$$map_index = (prev_state \gg STATE_SIZE + cur_state) \% SHIFT_SIZE \quad (3)$$

Based on the maintained bitmap, AFLNET selects “interesting” message sequences that hit new bitmap entries or increase the hit count (cf. *is_interesting* in Algorithm 1). The interesting message sequences are saved into the seed corpus C for further examination (Line 23). Meanwhile (Lines 24–25), AFLNET updates the states in IPSM S , and the time to find interesting paths, which facilitates tracking whether AFLNET enters the coverage plateau.

IV. IMPLEMENTATION

We implemented our prototype AFLNET as an extension of the popular and successful greybox fuzzer AFL [13], [21]. The architecture of AFLNET is shown in Fig. 4. To facilitate communication with the server, we first enabled network communication over sockets, which is not supported by the vanilla AFL. AFLNET supports two channels, one to send and one to receive messages from the **Server Under Test**. AFLNET uses standard C Socket APIs (i.e., *connect*, *poll*, *send*, and *recv*)⁶ to implement this feature. To ensure proper synchronization between AFLNET and the server under test, we added delays between requests (see Section III-A). Otherwise, several server implementations drop the connection if a new message is received before the response is sent and acknowledged. To minimize the delay, we used the Linux *poll* API to monitor the status of both outgoing and incoming buffers. In our experiments, this led to a substantial speed up (3×) compared to a static delay.

The **Request Sequences Parser** takes the pcap files containing the captured network traffic and produces the initial corpus of message sequences (cf. Section III-A). AFLNET uses protocol-specific information of the message structure to extract individual requests, in correct order, from the captured network traffic. In order to reduce the onus on the developer, AFLNET only requires to specify a mechanism to identify message boundaries (i.e., start and end of individual request messages). For instance, for the four protocols in our evaluation, we implemented the method to extract request sequences (and to parse the state information from the server responses) into only 200 lines of C code.

The **State Machine Learner** takes the server responses and augments the implemented protocol state machine (IPSM) with newly observed states and transitions. AFLNET reads the server response into a byte buffer, extracts the status code as specified in the protocol, and determines the executed state (transitions). To represent the IPSM, AFLNET uses the Graphviz graph library⁷ and the Collections-C⁸, which supports high-level data structures like HashMap and List. These libraries

⁶<http://man7.org/linux/man-pages/man2/socket.2.html>

⁷<https://www.graphviz.org/pdf/libguide.pdf>

⁸<https://github.com/srdja/Collections-C>




Fig. 5. Learning example of the implemented protocol state machine (IPSM) from the LightFTP Server.

are used to construct the state machine, and associate state-specific information. The GraphViz library can render the entire state machine as an image file. This allows users of AFLNET to understand intuitively the fuzzer progress in terms of the coverage of the state space.

The **Target State Selector** takes information from the IPSM to select the state that AFLNET should focus on next. AFL implements the *seed corpus* (here, containing message sequences) as a linked list of queue entries. A *queue entry* is the data structure containing pertinent information about the seed input. In addition, AFLNET maintains a *state corpus* which consists of (i) a list of *state entries*, i.e., a data structure containing pertinent state information, and (ii) a hashmap which maps a state identifier to a list of queue entries exercising the state corresponding to the state identifier. Both the target state selector and the **Sequence Selector** leverage the state corpus. The **Sequence Mutator** augments AFL’s `fuzz_one` method with protocol-aware mutation operators.

Now we illustrate how all these components of AFLNET work together to fuzz the LightFTP server. Suppose AFLNET starts with only one pcap file containing the network traffic as shown in Listing 1. First, **Request Sequence Parser** parses the pcap file to generate a single sequence (as visualized in Fig. 3) and saves it into the corpus C . At the same time, **State Machine Learning** constructs the initial IPSM based on the response codes; this initial IPSM contains black nodes and transitions in Fig. 5. Suppose that **Target State Selector** selects state 331 (“USER foo OK”) as the target state. **Sequence Selector** will then randomly select a sequence from the sequence corpus C , which contains only one sequence at this moment. Afterward, **Sequence Mutators** identifies the sequence prefix (“USER foo” request), the candidate subsequence (“PASS foo” request), and the remaining subsequence as the suffix. By mutating the candidate subsequence using stacked mutators, **Sequence Mutators** may generate a wrong password request (“PASS bar”) leading to an error state (530 Not logged in). Following this wrong password, it replays the suffix (e.g., “MKD demo”, “CWD demo”) leading to a loop in the state 530 because all these commands are not allowed before successful authentication. Finally, the “QUIT” request is sent, and the server exits. Since the generated test sequence (as visualized in Fig. 6) covers new state and state transitions (as highlighted in red in Fig. 5), it is added into the corpus C and the IPSM.

V. EVALUATION

This evaluation seeks to analyze the contribution of each algorithmic component embedded within AFLNET. To this




Fig. 6. A sample mutated sequence if the state 331 (User OK) and the message sequence in Fig. 3 have been chosen.

end, we design three research questions to be covered in the following:

- RQ.1: How effective is state feedback alone in guiding the fuzzing campaign?** This research question aims to evaluate whether state feedback alone is effective in guiding the fuzzing campaign when code feedback is unavailable. We seek to measure this performance and examine the potential for extending AFLNET to scenarios such as fuzzing remote servers.
- RQ.2: Can state feedback enhance the fuzzing effectiveness alongside code feedback?** This research question aims to evaluate the extent to which fuzzing effectiveness can be improved by incorporating additional state feedback. We expect the fuzzer to cover more code with the inclusion of state feedback.
- RQ.3: What is the impact of different seed-selection strategies?** In the default configuration, AFLNET adopts an interleaving seed-selection strategy that alternates between the order in the seed queue and the state heuristics. This research question aims to evaluate the impact of this interleaving strategy compared to the seed selection based on a single source.

To answer these questions, we follow the recommended experimental design for fuzzing experiments [22], [23].

Benchmark. We selected the subjects from PROFUZZBENCH [12] as our benchmark. PROFUZZBENCH is a widely-used benchmarking platform for evaluating stateful fuzzers of network protocols [24], [25], [26], [27]. PROFUZZBENCH comprises a suite of mature and open-source programs that implement well-known network protocols (e.g., SSH and FTP). In addition, it integrates a set of protocol fuzzing tools, including AFLNET. Our experiments were conducted on PROFUZZBENCH using the default versions of these subjects.

Performance Metrics and Measures. For each experiment, we report both code coverage and state space coverage. The key idea is that a bug cannot be exposed in uncovered code or states. To evaluate *code coverage*, we measure the branch coverage achieved using the automated tooling provided by the benchmarking platform PROFUZZBENCH [12]. To evaluate the coverage of the state space, we measure the number of state transitions constructed in the protocol state machine IPSM. Additionally, we use the Vargha-Delaney effect size (\hat{A}_{12}) to measure the statistical significance of the comparison results between two independent groups, which in our case are AFLNET and its variants.

Experimental Configuration and Infrastructure. We conducted all the experiments using the Git commit 62d63a5 of AFLNET. The `SHIFT_SIZE` parameter was set to half of the bitmap size, reserving one-half of the bitmap space for state coverage and the other half for code coverage. We set `STATE_SIZE` to 256 based on our observations from our




Fig. 7. Code branch covered over time by AFLNET, AFLNETDARK and AFLNETBLACK across 10 runs of 24 hours on the PROFUZZBENCH subjects.

preliminary experiments. All experiments were run on an Intel® Xeon® Platinum 8468V CPU with 192 logical cores clocked at 2.70GHz, 512GB of memory, and running Ubuntu 22.04.3 LTS. Each experiment runs for 24 hours. We report the average results over 10 runs to mitigate the impact of randomness.

RQ.1 Effectiveness of State Feedback alone

To evaluate the effectiveness of state feedback alone in guiding the fuzzing campaign, we developed two additional invariant tools of AFLNET for comparison:

- AFLNETDARK: a dark-box version of AFLNET with only state feedback enabled,
- AFLNETBLACK: a black-box version of AFLNET with both code and state feedback disabled.

In this experiment, AFLNETDARK is our focus, AFLNET-Black serves as the baseline, and AFLNET represents the target that AFLNETDARK aims to achieve.

Fig. 7 shows the trends in average code coverage over time for AFLNET, AFLNETDARK and AFLNETBLACK. Overall, state feedback alone had no negative impact on code coverage across all subjects. With the guidance from state feedback, AFLNETDARK significantly outperformed AFLNETBLACK in terms of code coverage in 6 of the 12 PROFUZZBENCH subjects (i.e., Bftpd, DNSmasq, Kamailio, LightFTP, ProFTPD and Pure-FTPd). In particular, in the subject Bftpd, AFLNETDARK even performed similarly to AFLNET. In the subjects OpenSSH and TinyDTLS, although AFLNETDARK only slightly improved the number of code branches covered at the end of the fuzzing campaign, it achieved the same branch number approximately 6× and 4× faster than AFLNETBLACK, respectively, which can obviously reduce the fuzzing time. Unfortunately, for other

subjects (i.e., DCMTK, Exim, forked-daapd, and Live555), there was almost no difference in code coverage between AFLNETDARK and AFLNETBLACK.

To investigate the reason for this difference, we collected the state number of all subjects at the end of the fuzzing campaign. It is interesting to note that for the subjects where AFLNETDARK did not outperform AFLNETBLACK, the state numbers were also lower compared to those where AFLNETDARK showed better performance. For example, the state number of the subject DCMTK is 3, while there are 334 states observed for the subject Bftpd. This result is expected, as an insufficient number of states is inadequate for guiding the fuzzing campaign, leading to a similar performance between AFLNETDARK and AFLNETBLACK. Therefore, we conclude that state feedback alone is effective in guiding the fuzzing campaign, provided there is a reasonable number of states to offer guidance. When code feedback is unavailable, state feedback is a fallback guidance for improving code coverage.

State feedback alone is effective in guiding the fuzzing campaign *when* the state number is reasonable.

RQ.2 Effectiveness of Additional State Feedback

In this experiment, we examined whether a fuzzer with additional state guidance could outperform one with only code guidance. For this purpose, we compared two variants of AFLNET:

- AFLNETCODE: a variant AFLNET with only code feedback,
- AFLNETQUEUE: a variant AFLNET with both code and state feedback.

TABLE II
AVERAGE BRANCH COVERAGE AND AVERAGE STATE COVERAGE ACROSS 10 RUNS OF 24 HOURS ACHIEVED BY AFLNETQUEUE
COMPARED TO AFLNETCODE

Subject	Code Coverage Comparison				State Coverage Comparison			
	AFLNETCODE	AFLNETQUEUE	Improv	\hat{A}_{12}	AFLNETCODE	AFLNETQUEUE	Improv	\hat{A}_{12}
Bftpd	484.8	491.5	+1.38%	0.72	170.5	334.0	+0.96×	1.00
DCMTK	3076.6	3086.3	+0.32%	0.56	3.0	3.0	0.00×	0.50
DNSmasq	1221.0	1217.6	-0.28%	0.43	282.5	27364.0	+95.85×	1.00
Exim	2847.7	2862.7	+0.53%	0.46	61.6	75.7	+0.23×	1.00
forked-daapd	2384.9	2401.3	+0.69%	0.54	22.0	37.7	+0.71×	1.00
Kamailio	9800.2	9752.4	-0.49%	0.43	89.2	300.3	+2.37×	1.00
LightFTP	355.8	347.2	-2.42%	0.21	179.0	388.7	+1.17×	1.00
Live555	2809.8	2818.5	+0.31%	0.53	75.1	87.9	+0.17×	1.00
OpenSSH	3336.7	3300.0	-1.10%	0.20	93.5	30480.9	+325.00×	1.00
ProFTPD	5296.4	5309.6	+0.25%	0.55	250.6	473.5	+0.89×	1.00
Pure-FTPd	1268.0	1277.1	+0.72%	0.45	292.1	420.2	+0.44×	1.00
TinyDTLS	574.4	575.7	+0.23%	0.50	30.5	37.5	+0.23×	1.00
Average	-	-	+0.01%	-	-	-	+35.67×	-

Both AFLNETQUEUE and AFLNETCODE select interesting seeds based on the test order in the corpus queue. We did not include the original AFLNET for comparison because it uses an interleaving strategy between the seed-queue order and the state heuristics to select interesting seeds. Since this experiment specifically focuses on the impact of additional state guidance, we developed the invariant fuzzer AFLNETQUEUE to eliminate the influence of seed-selection strategies.

Table II shows the average number of code branches and states covered by AFLNETQUEUE and AFLNETCODE across all subjects. To quantify the improvement of AFLNETQUEUE over AFLNETCODE, we report the percentage improvements in terms of code coverage and state coverage achieved in 24 hours, respectively (*Improv*), as well as the possibility that a random campaign of AFLNETQUEUE outperforms a random campaign of AFLNETCODE (\hat{A}_{12}). We consider the Vargha-Delaney effect size $\hat{A}_{12} \geq 0.71$ or $\hat{A}_{12} \leq 0.29$ to indicate a substantial advantage of AFLNETQUEUE over AFLNETCODE, or vice versa.

In the aspect of code coverage, the additional state feedback in AFLNETQUEUE had a mixed impact when compared to AFLNETCODE, which uses only code feedback. AFLNETQUEUE outperformed AFLNETCODE in 8 out of 12 subjects, with only 1 subject (i.e., LightFTP) showing statistically significant improvement. In contrast, for the remaining 4 subjects, the additional state feedback had a negative impact on the code coverage, although only in the subjects LightFTP and OpenSSH in a statistically significant way. Overall, while additional state coverage can slightly improve code coverage for most subjects, this improvement is not statistically significant (7 out of the 12 subjects).

In the aspect of state coverage, AFLNETQUEUE covered $35.67\times$ more states on average. For nearly all subjects (except the subject DCMTK), the Vargha-Delaney effect size $\hat{A}_{12} = 1.00$ indicates a substantial advantage of AFLNETQUEUE over AFLNETCODE in exploring state space. In addition, it is worth noting that some subjects (e.g., DCMTK and forked-daapd)

only exhibited a small number of observed states. It is expected that this sparse feedback is not effective in improving the code coverage. Conversely, the results for DNSmasq and OpenSSH suggest that overly dense feedback can also be ineffective. Overall, there is no correlation between the number of states observed and the improvements in code coverage.

These experimental results demonstrate that additional state feedback can effectively guide the fuzzer to explore more states. The additional state guidance did show significant effectiveness in improving the code coverage, and it also has no obvious harm on most subjects (i.e., 10 out of 12 subjects). A possible explanation is that AFLNET considers response codes from a server as the representation of states; however, this may not be a good state definition for each subject, as noted by the follow-up works of AFLNET [28], [26].

Additional state feedback, as defined by AFLnet, can effectively guide the fuzzer to explore a larger state space. However, it does not result in significant improvement in code coverage.

RQ.3 Impact of Seed-Selection Strategies

To evaluate the impact of seed-selection strategies, we compare AFLNET with two alternative implementations:

- AFLNETQUEUE: a variant AFLNET that selects interesting seeds *only* based on the order of the seed queue,
- AFLNETIPSM: a variant AFLNET that selects interesting seeds *only* based on the state heuristics.

AFLNET selects interesting seeds using an interleaving strategy between the order of the seed queue and the state heuristics. All these tools are configured with both code- and state- feedback. We compare three tools in terms of the code coverage and the state coverage.

Table III shows the average code branches covered by AFLNET, AFLNETQUEUE and AFLNETIPSM across 10 runs of 24 hours. In addition, we report the improvement in the

TABLE III
AVERAGE BRANCH COVERAGE ACROSS 10 RUNS OF 24 HOURS ACHIEVED BY AFLNET
COMPARED TO AFLNETQUEUE AND AFLNETIPSM

Subject	AFLNET	Comparison with AFLNETQUEUE			Comparison with AFLNETIPSM		
		AFLNETQUEUE	Improv	\hat{A}_{12}	AFLNETIPSM	Improv	\hat{A}_{12}
Bftpd	487.0	491.5	-0.92%	0.23	486.6	+0.08%	0.47
DCMTK	3120.4	3086.3	+1.10%	0.95	3113.7	+0.22%	0.70
DNSmasq	1202.5	1217.6	-1.24%	0.00	1194.9	+0.64%	0.70
Exim	2922.0	2862.7	+2.07%	0.36	2888.8	+1.15%	0.80
forked-daapd	2329.9	2401.3	-2.97%	0.13	2279.4	+2.22%	0.80
Kamailio	9899.4	9752.4	+1.51%	0.97	9824.6	+0.76%	0.68
LightFTP	346.6	347.2	-0.16%	0.33	345.5	+0.32%	0.62
Live555	2808.1	2818.5	-0.37%	0.41	2780.5	+0.99%	0.75
OpenSSH	3353.8	3300.0	+1.63%	0.82	3341.4	+0.37%	0.65
ProFTPD	5324.2	5309.6	+0.27%	0.58	5150.5	+3.37%	0.89
Pure-FTPd	1167.5	1277.1	-8.58%	0.00	1075.4	+8.56%	0.96
TinyDTLS	583.8	575.7	+1.41%	0.79	577.5	+1.09%	0.76
Average	-	-	-0.52%	-	-	+1.65%	-

code coverage of AFLNET compared to AFLNETQUEUE and AFLNETIPSM, respectively (*Improv*), and the Vargha-Delaney effect size (\hat{A}_{12}). Compared to the seed-selection strategy based on queue order (i.e., AFLNETQUEUE), the interleaving seed-selection strategy (i.e., AFLNET) performed significantly better in some subjects (i.e., DCMTK, Kamailio, OpenSSH, and TinyDTLS). However, it underperformed in the subjects DNSmasq, forked-daapd, and Pure-FTPd. In the remaining subjects, both seed-selection strategies had similar performance. Compared to the strategy based on the state heuristics (i.e., AFLNETIPSM), the interleaving strategy consistently performed better although the improvement was not statistically significant in some subjects (e.g., Bftpd).

Table IV shows the state coverage of AFLNET, AFLNETQUEUE and AFLNETIPSM in a similar format to our previous table. Overall, AFLNET outperformed both baseline tools AFLNETQUEUE and AFLNETIPSM in terms of state coverage. AFLNET covered 5.77% more states than AFLNETQUEUE, and 12.77% more states than AFLNETIPSM on average. Although AFLNET covers fewer states than AFLNETIPSM or AFLNETQUEUE in the subjects Bftpd, LightFTP, and TinyDTLS, this underperformance is not significant given the values of \hat{A}_{12} .

Considering both aspects of code coverage and state coverage, AFLNET is the best performer among the comparison tools across all subjects. Therefore, the interleaving seed-selection strategy is generally the best configuration while testing most subjects. However, if the primary goal is to maximize code coverage, users might consider configuring the fuzzer with a seed-selection strategy based solely on queue order, as suggested by the comparison between AFLNET and AFLNETQUEUE. On the other hand, if maximizing state coverage is the objective, the interleaving seed-selection strategy is undoubtedly the best choice.

In addition, it is interesting to note that there is no obvious correlation between state coverage and code coverage. A fuzzer that covers more states does not necessarily mean it would

cover more code as well, as demonstrated in some subjects (e.g., DNSmasq, forked-daapd, and Pure-FTPd).

The fuzzer configured with interleaving seed-selection strategy outperforms selecting interesting seeds based only on queue order or state heuristics.

VI. RECENT PROGRESS IN STATEFUL FUZZING

AFLNET has significantly advanced fuzzing techniques for network protocols. During the fuzzing campaign, AFLNET acts as the client application, establishing real network connections with the server under test and then exchanging messages. This approach follows the real-world architectures of network protocols, reducing the manual effort of understanding network protocols and modifying source codes. AFLNET is widely regarded as an optimal choice for network protocol fuzzing⁹, and has uncovered numerous critical vulnerabilities in widely-used protocol implementations. However, it also has several shortcomings that the research community has actively addressed, leading to enhancements in various aspects.

What is a state? Considering state feedback and optimizing state coverage is a key contribution of AFLNET. Yet, what do we consider as the current “state” and how do we identify it? In the default setting, AFLNET uses the response code extracted from the response message to represent the current protocol state. However, the response code is a very coarse representation of states. As demonstrated in our previous experiment, this state representation does not significantly improve code coverage. In addition, the response codes are not always available in response messages.

To address this limitation, a series of works have proposed alternative state representations. SGFUZZ [28] uses the sequence

⁹https://github.com/AFLplusplus/AFLplusplus/blob/stable/docs/best_practices.md#fuzzing-a-network-service

TABLE IV
AVERAGE STATE COVERAGE ACROSS 10 RUNS OF 24 HOURS ACHIEVED BY AFLNET
COMPARED TO AFLNETQUEUE AND AFLNETIPSM

Subject	AFLNET	Comparison with AFLNETQUEUE			Comparison with AFLNETIPSM		
		AFLNETQUEUE	Improv	\hat{A}_{12}	AFLNETIPSM	Improv	\hat{A}_{12}
Bftpd	334.3	334.0	+0.09%	0.57	335.0	-0.21%	0.37
DCMTK	3.0	3.0	0.00%	0.50	3.0	0.00%	0.50
DNSmasq	32256.5	27364.0	+17.88%	1.00	26982.2	+19.55%	1.00
Exim	69.1	75.7	-8.72%	0.45	66.0	+4.70%	0.51
forked-daapd	43.2	37.7	+14.67%	1.00	39.0	+10.85%	1.00
Kamailio	313.0	300.3	+4.23%	0.89	235.2	+33.10%	0.70
LightFTP	380.4	388.7	-2.14%	0.46	375.9	+1.20%	0.58
Live555	91.7	87.9	+4.32%	0.57	89.3	+2.69%	0.69
OpenSSH	35433.5	30480.9	+16.25%	1.00	30943.6	+14.51%	1.00
ProFTPD	476.0	473.5	+0.53%	0.59	359.9	+32.26%	1.00
Pure-FTPD	521.2	420.2	+24.05%	1.00	463.8	+12.39%	1.00
TinyDTLS	36.8	37.5	-1.87%	0.46	30.1	+22.26%	0.74
Average	-	-	+5.77%	-	-	+12.77%	-

of values assigned to state variables (identified as *enum* type variables) to represent the sequence of protocol states corresponding to a message sequence. Similarly, NSFUZZ [26] introduces a variable-based state representation to infer states of network protocols. STATEAFL [27] infers protocol states by taking snapshots of long-lived memory areas. Utilizing the recent advances in large language models (LLMs), CHATAFL [24] uses LLMs to infer states based on exchanged messages. These approaches effectively address the challenge of state identification in AFLNET.

How to maximize state coverage? AFLNET provides three seed-selection (line 10 of Algorithm 1) algorithms: FAVOR, RANDOM, and ROUND-ROBIN, with FAVOR being the default configuration. The FAVOR algorithm prioritizes states that are rarely exercised, giving them more chances to be tested. The RANDOM algorithm selects states randomly, while the ROUND-ROBIN algorithm maintains states in a circular queue and selects them in turns. However, as shown by Liu et al. [29], these three algorithms yield similar results in terms of code coverage.

Subsequent works have sought to propose more principled approaches to state selection. Borchering et al. [30] model state selection as a Multi-armed Bandit Problem. Unfortunately, the authors found that this approach prevents the fuzzer from reaching deeper states, resulting in worse code coverage compared to AFLNET. AFLNETLEGION [29] introduces a novel seed-selection algorithm to AFLNET based on LEGION [31], a variant of Monte Carlo tree search. However, the performance improvements of AFLNETLEGION turn out to be not statistically significant. We believe that this is explained by the low fuzzing throughput of baseline AFLNET, which hinders the full potential of this systematic algorithm. Once this challenge is resolved, it is worthwhile to explore other heuristics that have shown promise in (code) coverage-guided greybox fuzzing [14], [32], [4].

How to maximize fuzzing throughput? AFLNET operates with low fuzzing throughput, averaging around 20 executions per

second, due to several factors: Firstly, AFLNET sends inputs through the network sockets, which is significantly slower than reading inputs from files. Secondly, it introduces a time delay between messages to ensure the server is ready to receive the next message. Lastly, it runs a clean-up script to reset the state of the environment after each iteration.

GREEN-FUZZ [33] improves the fuzzing throughput of AFLNET by utilizing a simulated socket library *Desock+*, a modified version of *preeny*, to reduce system call overhead. NYX-NET [25] employs hypervisor-based snapshot fuzzing to ensure noise-free execution and accelerate state resets. SNAPFUZZ [34] enhances the fuzzing throughput by introducing several strategies, including transforming slow asynchronous network communication into fast synchronous communication, snapshotting states, and using in-memory filesystems. These approaches significantly increase the fuzzing throughput of AFLNET.

How to maximize the syntactic validity of each message?

During message mutation, AFLNET uses the same byte-level mutation operators as traditional greybox fuzzers, which can easily break the structure of a valid message. In principle, existing grammar-aware strategies can be applied to AFLNET to improve the effectiveness of message mutation. Given a user-provided data model describing the message grammar, structure-aware blackbox protocol fuzzers [1], [16] generate valid messages from scratch, while structure-aware greybox fuzzers [3], [35] take a mutation-based approach. In contrast, CHATAFL [24] obtains the message structure information from the LLMs and then preserves valid message grammar during mutation. In addition, there are several existing works [36], [37], [38] that dynamically infer message structures based on the observed messages. We can distinguish blackbox approaches [39], [40] that learn the message structure from a given corpus of messages and whitebox approaches [36], [41] that actively explore the protocol implementation to uncover message structure. For instance, Polyglot [36] uses dynamic analysis techniques, such as tainting and symbolic

execution, to extract the message format from the protocol implementation.

Protocol Environment Fuzzing. AFLNET focuses on only fuzzing network traffic over a specific port. However, beyond this single input source, network protocols often interact with complex execution environments such as configuration files, databases, and other network sockets, which can affect the behaviors as well. CHAOS AFL [42] involves all file-related inputs as fuzzing targets, while \mathcal{E} FUZZ [43] considers the full program environment in the system-call layer as fuzzing targets. Both approaches extend the capability of AFLNET in finding environment-inducing bugs.

VII. REFLECTIONS AND PATH FORWARD

Over the past five years, AFLNET has made significant contributions to research, practice, and education. In terms of research impact, the short tool demo paper of AFLNET has been cited over 270 times (as of November 2024, according to Google Scholar), with many citations appearing in premier conferences and journals in Security and Software Engineering. Regarding practical impact, AFLNET has garnered 872 stars on GitHub and currently supports 17 protocols, 12 of which were contributed by other researchers, demonstrating its versatility and community engagement.

Security researchers have also published experience reports and tutorials on using AFLNET for challenging targets [7], [10], [11], [8], [9]. For example, the NCC Group explored the challenges of fuzzing 5G protocols [7] and demonstrated AFLNET's ability to uncover bugs in this critical domain¹⁰. Similarly, researchers from the University of Melbourne extended AFLNET to support IPv6 for fuzz testing the software development kit (SDK) of Matter, a novel application-layer protocol designed to unify fragmented smart home ecosystems [44]. This extension has discovered zero-day vulnerabilities in the Matter SDK [8], [9]. Moreover, ETAS, a subsidiary of Robert Bosch GmbH, highlighted AFLNET as a potential open-source protocol fuzzing solution in the context of the ISO/SAE 21434 standard for road vehicle cybersecurity engineering [11]. In education, AFLNET has been introduced to hundreds of Master's students through modules such as "Security and Software Testing (SWEN90006)" [45] at the University of Melbourne and "Fantastic Bugs and How to Find Them (17-712)" [46] at Carnegie Mellon University.

Why has our work on AFLNet generated such practical and academic impact in a short period of fewer than five years? We can see two reasons: (i) our open science approach and (ii) providing a practical solution to a long-standing problem of validating reactive systems. As for our *open science* approach, we strongly believe that sound progress in science requires reproducibility and that effective impact in practice requires open source. AFLNet is an excellent case demonstrating the success of our open science approach. Today, it is expected that the tools and artifacts are published together with the paper.

¹⁰NCC Group reported that AFLNET identified some crash-triggering issues, which were under further investigation and subject to coordinated disclosure as appropriate.

Five years ago, it was not common to make prototypes publicly available as open source [47].

AFLNet is a practical solution to the long-standing problem of validating reactive systems. Looking back and reflecting on it, we feel this is because of the sheer dearth of suitable approaches for testing reactive systems, though there exist many approaches for testing sequential transformational systems. Reactive systems are in continuous interaction with the environment by exchanging messages or events between the system and the environment. Thus the "input" to a reactive system is not a single event but rather a sequence of events. Most protocol implementations are reactive systems - instead, the sequence of messages that can be legitimately exchanged is the so-called protocol! Prior to the greybox approach of AFLNet, reactive system validation would typically need to be carried out via stateful blackbox fuzzing approaches or via algorithmic white-box verification approaches such as model checking. We already mentioned the deficiencies of using stateful blackbox fuzzing approaches - since they involve manual writing of a state model and data model. Moreover, the effectiveness of the stateful blackbox fuzzing approach depends on how complete the manually-written state model and data model are.

Regarding the use of model checking for validating reactive systems, this would suffer from various limitations.

- A temporal logic property needs to be provided to guide the validation exercise via model checking.
- The validation will be carried out at the model level where only the protocol model is being checked. Alternatively, if the protocol implementation is being checked, an abstraction will need to be designed to extract a finite state transition system from the infinite state protocol implementation, as per the abstraction-refinement approach of software model checking [48].
- Finally, after a bug is found, it is reported in the form of a counter-example trace from where a buggy event sequence still needs to be extracted.

The work of AFLNet and subsequent works free the practitioner from all of these steps, thereby constituting a significant practical advance. It also represents a significant conceptual and practical advance over greybox fuzzing by accompanying greybox fuzzing with lightweight model learning. This has opened up the applicability of greybox fuzzing from stateless systems like file format parsers to a plethora of stateful, reactive applications. Recent works in the research community on extending greybox fuzzing to concurrent and distributed systems (e.g., [49], [50]) also rely partially on the core advance in the AFLNet work. Moving forward, we may thus see a much wider variety of stateful, reactive, concurrent, distributed application software being routinely checked via greybox fuzzing. These advances would constitute the broader and longer-term impact of the AFLNet work in 2020.

ACKNOWLEDGMENT

Any opinions, findings and conclusions, or recommendations expressed in this material are those of the author(s) and do not reflect the views of National Research Foundation, Singapore,

and Cyber Security Agency of Singapore. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Research Council Executive Agency. Neither the European Union nor the granting authority can be held responsible for them.

REFERENCES

- [1] Protocol-Fuzzer CE, “Peach Fuzzer Platform.” [Online]. Available: <https://gitlab.com/gitlab-org/security-products/protocol-fuzzer-ce>
- [2] Spike Fuzzer Platform, “SPIKE Fuzzer Platform.” [Online]. Available: <http://www.immunitysec.com>
- [3] V.-T. Pham, M. Böhme, A. E. Santosa, A. R. Căciulescu, and A. Roychoudhury, “Smart greybox fuzzing,” *IEEE Trans. Softw. Eng.*, vol. 47, no. 9, pp. 1980–1997, Sep. 2019.
- [4] M. Böhme, V.-T. Pham, M.-D. Nguyen, and A. Roychoudhury, “Directed greybox fuzzing,” in *Proc. ACM SIGSAC Conf. Comput. Commun. Secur.*, 2017, pp. 2329–2344.
- [5] Website, “AFL user group,” 2019. Accessed: August 15, 2019. [Online]. Available: <https://groups.google.com/forum/#!forum/afl-users>
- [6] V.-T. Pham, M. Böhme, and A. Roychoudhury, “AFLNet: a greybox fuzzer for network protocols,” in *Proc. 13th IEEE Int. Conf. Softw. Testing, Validation Verification*, 2020, pp. 460–465.
- [7] N. Group, “The challenges of fuzzing 5G protocols,” 2021. Accessed: October 3, 2024. [Online]. Available: <https://www.nccgroup.com/au/research-blog/the-challenges-of-fuzzing-5g-protocols/>
- [8] C. S. Alliance, “A use-after-free vulnerability discovered by AFLNet,” 2024. Accessed: October 3, 2024. [Online]. Available: <https://github.com/project-chip/connectedhomeip/pull/33148/>
- [9] C. S. Alliance, “A critical memory (heap) leak vulnerability discovered by AFLNet,” 2024. Accessed: October 3, 2024. [Online]. Available: <https://github.com/project-chip/connectedhomeip/pull/32970/>
- [10] M. Nedyak, “How to hack medical imaging applications via DICOM,” in *Proc. Hack In Box Secur. Conf.*, 2020.
- [11] E. GmbH, “Demystifying a current trend—Security fuzz testing in the context of ISO/SAE 21434,” 2024. Accessed: October 3, 2024. [Online]. Available: <https://youtu.be/HDfkd67UUSw>
- [12] R. Natella and V.-T. Pham, “ProFuzzBench: A benchmark for stateful protocol fuzzing,” in *Proc. 30th ACM SIGSOFT Int. Symp. Softw. Testing Anal.*, 2021, pp. 662–665.
- [13] M. Zalewski, “AFL.” [Online]. Available: <https://lcamtuf.coredump.cx/afl/>
- [14] M. Böhme, V.-T. Pham, and A. Roychoudhury, “Coverage-based greybox fuzzing as markov chain,” in *Proc. ACM SIGSAC Conf. Comput. Commun. Secur.*, 2016, pp. 1032–1043.
- [15] LLVM, “libFuzzer—A library for coverage-guided fuzz testing,” LLVM. [Online]. Available: <https://llvm.org/docs/LibFuzzer.html>
- [16] beSTORM Modules, “beSTORM black box testing,” [Online]. Available: <https://www.beyondsecurity.com/bestorm.html>
- [17] JTPEREYDA, “Boofuzz: A fork and successor of the sulley fuzzing framework,” [Online]. Available: <https://github.com/jtpereyda/boofuzz>
- [18] OpenRCE, “Sulley: A pure-python fully automated and unattended fuzzing framework,” [Online]. Available: <https://github.com/OpenRCE/sulley>
- [19] “LightFTP Server,” [Online]. Available: <https://github.com/hfiref0x/LightFTP>
- [20] IEFT, “File Transfer Protocol,” 1985. Accessed: August 12, 2019. [Online]. Available: <https://tools.ietf.org/html/rfc959>
- [21] ICAMTUF, “AFL vulnerability trophy case,” [Online]. Available: <http://lcamtuf.coredump.cx/afl/#bugs>
- [22] G. Klees, A. Ruef, B. Cooper, S. Wei, and M. Hicks, “Evaluating fuzz testing,” in *Proc. ACM SIGSAC Conf. Comput. Commun. Secur.*, 2018, pp. 2123–2138.
- [23] M. Böhme, L. Szekeres, and J. Metzner, “On the reliability of coverage-based fuzzer benchmarking,” in *Proc. 44th Int. Conf. Softw. Eng.*, 2022, pp. 1621–1633.
- [24] R. Meng, M. Mirchev, M. Böhme, and A. Roychoudhury, “Large language model guided protocol fuzzing,” in *Proc. 31st Annu. Netw. Distrib. System Secur. Symp.*, 2024.
- [25] S. Schumilo, C. Aschermann, A. Jemmett, A. Abbasi, and T. Holz, “Nyx-net: Network fuzzing with incremental snapshots,” in *Proc. 17th Eur. Conf. Comput. Syst.*, 2022, pp. 166–180.
- [26] S. Qin, F. Hu, Z. Ma, B. Zhao, T. Yin, and C. Zhang, “NSFuzz: Towards efficient and state-aware network service fuzzing,” *ACM Trans. Softw. Eng. Methodology*, vol. 32, no. 6, pp. 1–26, 2023.
- [27] R. Natella, “StateAFL: Greybox fuzzing for stateful network servers,” *Empirical Softw. Eng.*, vol. 27, no. 7, 2022, Art. no. 191.
- [28] J. Ba, M. Böhme, Z. Mirzamomen, and A. Roychoudhury, “Stateful greybox fuzzing,” in *Proc. 31st USENIX Secur. Symp.* USENIX Association, 2022, pp. 3255–3272.
- [29] D. Liu, V.-T. Pham, G. Ernst, T. Murray, and B. I. Rubinstein, “State selection algorithms and their impact on the performance of stateful network protocol fuzzing,” in *Proc. IEEE Int. Conf. Softw. Anal., Evolution Reengineering*. Piscataway, NJ, USA: IEEE Press, 2022, pp. 720–730.
- [30] A. Borcharding, M. Giraud, I. Fitzgerald, and J. Beyerer, “The bandit’s states: Modeling state selection for stateful network fuzzing as multi-armed bandit problem,” in *Proc. IEEE Eur. Symp. Secur. Privacy Workshops*, 2023, pp. 345–350.
- [31] D. Liu, G. Ernst, T. Murray, and B. I. Rubinstein, “Legion: Best-first concolic testing,” in *Proc. 35th IEEE/ACM Int. Conf. Automated Softw. Eng.*, 2020, pp. 54–65.
- [32] C. Lemieux and K. Sen, “FairFuzz: A targeted mutation strategy for increasing greybox fuzz testing coverage,” in *Proc. 33rd ACM/IEEE Int. Conf. Automated Softw. Eng.*, 2018, pp. 475–485.
- [33] S. B. Andarzian, C. Daniele, and E. Poll, “Green-Fuzz: Efficient fuzzing for network protocol implementations,” in *Int. Symp. Foundations Pract. Secur.*, 2023, pp. 253–268.
- [34] A. Andronidis and C. Cadar, “Snapfuzz: High-throughput fuzzing of network applications,” in *Proc. 31st ACM SIGSOFT Int. Symp. Softw. Test. Anal.*, 2022, pp. 340–351.
- [35] C. Aschermann, T. Frassetto, T. Holz, P. Jauernig, A.-R. Sadeghi, and D. Teuchert, “Nautilus: Fishing for deep bugs with grammars,” in *Proc. Netw. Distrib. System Secur. Symp.*, 2019.
- [36] J. Caballero, H. Yin, Z. Liang, and D. Song, “Polyglot: Automatic extraction of protocol message format using dynamic binary analysis,” in *Proc. 14th ACM Conf. Comput. Commun. Secur.*, 2007, pp. 317–329.
- [37] T. Blazytko et al., “GRIMOIRE: Synthesizing structure while fuzzing,” in *Proc. 28th USENIX Secur. Symp.*, 2019, pp. 1985–2002.
- [38] J. Wang, B. Chen, L. Wei, and Y. Liu, “Superion: Grammar-aware greybox fuzzing,” in *Proc. IEEE/ACM 41st Int. Conf. Softw. Eng.* Piscataway, NJ, USA: IEEE Press, 2019, pp. 724–735.
- [39] J. Patra and M. Pradel, “Learning to fuzz: Application-independent fuzz testing with probabilistic, generative models of input data,” TU Darmstadt, Tech. Rep., 2016.
- [40] R. Fan and Y. Chang, “Machine learning for black-box fuzzing of network protocols,” in *Proc. Inf. Commun. Secur.*, 2018, pp. 621–632.
- [41] W. Cui, M. Peinado, K. Chen, H. J. Wang, and L. Irwin-Briz, “TUPNI: Automatic reverse engineering of input formats,” in *Proc. 15th ACM Conf. Comput. Commun. Secur.*, 2008, pp. 391–402.
- [42] Z. Mirzamomen and M. Böhme, “Finding bug-inducing program environments,” 2023, *arXiv:2304.10044*.
- [43] R. Meng, G. J. Duck, and A. Roychoudhury, “Program environment fuzzing,” in *Proc. 31st ACM SIGSAC Conf. Comput. Commun. Secur.*, 2024, pp. 720–734.
- [44] C. S. Alliance, “Matter—The foundation for connected things,” 2024. Accessed: October 3, 2024. [Online]. Available: <https://csa-iot.org/all-solutions/matter/>
- [45] University of Melbourne, “Security and software testing,” 2023. Accessed: October 3, 2024. [Online]. Available: <https://github.com/SWEN90006-2023/SWEN90006-assignment-2>
- [46] C. M. University, “Fantastic bugs and how to find them,” 2023. Accessed: October 3, 2024. [Online]. Available: <https://cmu-fantastic-bugs.github.io/>
- [47] F. Weissberg et al., “Sok: Where to fuzz? Assessing target selection methods in directed fuzzing,” in *Proc. 19th ACM Asia Conf. Comput. Commun. Secur. (ASIA CCS)*. New York, NY, USA: ACM, 2024, pp. 1539–1553. [Online]. Available: <https://doi.org/10.1145/3634737.3661141>
- [48] T. Ball and S. Rajamani, “Automatically validating temporal safety properties of interfaces,” in *Proc. Int. SPIN Workshop Model Checking Softw.*, 2001, pp. 213–217.
- [49] R. Meng, G. Pirlea, A. Roychoudhury, and I. Sergey, “Greybox fuzzing of distributed systems,” in *Proc. 30th ACM Conf. Comput. Commun. Secur. (CCS)*, 2023, pp. 234–245.
- [50] D. Wolff, S. Zheng, G. Duck, U. Mathur, and A. Roychoudhury, “Greybox fuzzing for concurrency testing,” in *Proc. 29th ACM Int. Conf. Architectural Support Program. Languages Operating Syst. (ASPLOS)*, 2024, pp. 145–160.



Ruijie Meng is a Ph.D. student with the National University of Singapore, advised by Prof. Abhik Roychoudhury. Her research interests include software security, software engineering, and systems. Her research focuses on building effective and practical techniques for improving security and reliability of software systems, particularly stateful reactive systems. Her work has been published at premier conferences in both software engineering (e.g., ICSE and FSE) and security (e.g., CCS and NDSS). She has also developed and open-sourced

several automated security testing tools. These tools have discovered more than 200 previously unknown vulnerabilities in widely used software systems, with more than 50 CVEs assigned.



Van-Thuan Pham received the Ph.D. degree in computer science from the National University of Singapore, in 2017. He is a Senior Lecturer in cybersecurity with the University of Melbourne (UoM) and an ARC DECRA Fellow. His research interests include scalable and high-performance fuzz testing to enhance the reliability and security of software systems. His research, conducted in collaboration with companies such as Google and government agencies, has resulted in numerous publications in premier journals and conferences (e.g., TSE, EMSE,

ICSE, CCS, ISSTA), one U.S. patent, and one international patent application. Notably, one of his papers received a Distinguished Paper Award at ICSE 2024. He has also developed several open-source automated security testing tools, including AFLGo, AFLSmart, AFLNet, and AFLTeam. These tools have been instrumental in discovering over 100 (critical) vulnerabilities in large, real-world software systems. His research has been featured on media channels such as theregister.co.uk and securityweek.com.



Marcel Böhme is a faculty member with Max Planck Institute for Security and Privacy (MPI-SP), Germany where he leads the Software Security research group. His group has made foundational contributions to fuzzing which has become one of the most successful techniques for the automatic discovery of security flaws in practice. We are interested in the automatic discovery of security flaws in software systems at the very large scale. Some of us work on the foundations of automatic vulnerability discovery and program analysis in

general. For instance, we seek to identify fundamental limitations of existing techniques, we study empirical methods (including statistical and causal reasoning) for program analysis, and we explore the assurances that software testing provides when no bugs are found. Another part of our group develops practical vulnerability discovery tools that are widely used in software security practice. For instance, *entropic* is the default power schedule in LibFuzzer which powers the largest fuzzing platforms with Google and Microsoft, fuzzing hundreds of security-critical projects on 100 k machines 24/7. Our tools have discovered more than 100 bugs in widely used software systems, more than 70 of which are security-critical vulnerabilities registered as CVEs with the US National Vulnerability Database.



Abhik Roychoudhury (Senior Member, IEEE) is a Provost's Chair Professor of computer science with the National University of Singapore (NUS), where he leads a research team on Trustworthy and Secure Software (TSS). His research group with NUS is known for foundational contributions to software testing and analysis. Specifically, the team has made contributions to automatic programming and automated program repair, and to fuzz testing for finding security vulnerabilities in software systems. These works have been honored with various

awards including an International Conference on Software Engineering (ICSE) Most Influential Paper Award (Test-of-time award) for program repair, and IEEE New Directions Award 2022 for contributions to symbolic execution and its usage in program repair. He was the Inaugural Recipient of the NUS Outstanding Graduate Mentor Award 2024. He has served the Software Engineering Research Community in various capacities including as a Chair of the major conferences of the field, ICSE and FSE. Currently, he serves as a Chair of the FSE Steering Committee. He is the current Editor-in-Chief of the ACM Transactions on Software Engineering and Methodology (TOSEM). He is a fellow of the ACM.